

How can I make mealtimes happy?

- Make mealtime a family time. Children like to eat with other people. Sit down and eat meals with your child.
- Try to have meals and snacks at about the same time every day.
- Do not bribe, play games, or force your child to eat. Children need to control their own eating.
- It is normal for children to play with their food. If your child stops eating or throws food, take the food away.
- Young children are messy eaters. Expect your child to spill.
 Your child can use a child spoon or fork or fingers at this age.



Always wash hands before and after eating.

- Relax and enjoy your meal. Do not make your child's eating the center of attention.
- Keep the TV off during meals. Make mealtime a quiet time for talking.
- Set a good example. Eat many different kinds of food. Your child will want to eat what you eat.

How can I make it easier for my child to eat?

Serve foods that:

- are bite size or easy for your child to hold
- are soft and easy to chew
- are mild and simple
- are not too hot or too cold
- have a lot of colors, textures, and shapes



Always stay nearby when your child eats. Children can choke if they run and play with food in their mouths. Be sure your child sits down to eat at the table.

	Sample	Menus for Yo	our Child
		Day 1	Day 2
	Breakfas	1 scrambled egg ¹ /2 slice toast ¹ /2 cup milk	¹ /4 cup cereal ¹ /4 banana ¹ /2 cup milk
(Snack	¹ /4 apple, peeled and sliced ³ /4 ounce small cheese pieces water	¹ /2 cup yogurt 2 crackers water
	Lunch	peanut butter sandwich (1 slice bread, 1 tablespoon peanut butter) 2 tablespoons peas 1/2 cup milk	¹ /2 cup vegetable beef soup ¹ /2 tortilla or 2 crackers ¹ /2 cup milk
	Snack	¹ / ₂ cup dry cereal ¹ / ₄ cup juice	¹ /2 slice toast with 1 tablespoon peanut butter water
(Dinner	1 tablespoon baked chicken 2 tablespoons mashed potatoes 2 tablespoons broccoli 2 tablespoons applesauce water	soft taco with beans and meat (1/2 tortilla, 2 tablespoons beans, 2 tablespoons meat) 1/4 cup rice 2 tablespoons cooked carrots 1/2 orange, sliced water
<	Snack	2 graham cracker squares ¹ /2 cup milk	4 animal crackers 1/2 cup milk

Children this age only need 4 to 6 small servings of milk or milk products every day. No more than 24 ounces (710 milliliters) of milk per day. Limit juice to ¹/₄ cup (60 milliliters) per day. Serve fruit instead of juice when you can. Your child should be drinking only from a cup now, not a bottle.

If your child is thirsty at other times, offer your child water instead of sweet drinks. Sweet drinks like pop, Kool-Aid®, and juice drinks can make your child feel full. Then your child will not be hungry for meals or snacks. If you are still breastfeeding your child, that's great! Breastfeed after meals and at night.


Warning: Children under age 4 can choke on foods like hot dogs, popcorn, nuts, raw carrots, grapes, jelly beans, gum, and hard candy. Avoid these foods. Cut hot dogs into very small pieces.



Adapted from California Department of Health, WIC Supplemental Nutrition Branch. Printed by Washington State Department of Health WIC Program. WIC is an equal opportunity program. For persons with disabilities this document is available on request in other formats. To submit a request please call 1-800-525-0127 (TDD/TTY 1-800-873-6788)

Feeding Your 1 to 2 Year Old





This is my goal:_

Food Guide Pyramid





hildren know how much they need to eat. But they do not know what kinds of foods they need.

When it is time to eat, offer your child healthy foods. You decide what to serve and when to serve it.

Let **your child** decide how much to eat from the foods you serve.

- Serve your child 3 meals and 2 to 3 snacks every day.
- Serve a variety of healthy foods every day.
- Children eat more on some days than others.
- What your child eats in one day may not match the food guide. Think about all the foods your child eats over several days.
- It is normal for children to eat less after the first year. They are not growing as fast.

One Serving Is About...



Breads, Grains, Cereals



Offer your child some whole grain foods every day.



Vegetables



Cooked2–3 tablespoons or 30–45 mL Raw2–3 tablespoons or 30–45 mL Offer your child a dark green or yellow vegetable every day, like cooked carrots, broccoli, spinach, sweet potato, or squash.



Fruits



resh	¹ /4- ¹ /2 small
anned or frozen	2-3 tablespoons or 30-45 mL
iice	¹ /8 cup or 30 mL
	every day, like orange, strawberries,
nelon, mango, papaya, or juices.	



Milk Products



Milk or breast milk	1/2 cup o	r 120 n	nL
Cheese	³ /4 ounc	e or 20) g
Cottage cheese	³ /4 cup o	r 180 n	nĽ
ogurt, pudding or custard made with milk			
Frozen yogurt, ice cream			
Give your child whole milk up to age 2, then lowfat			



Protein Foods Animal Protein



2





Fats, Oils, and Sweets

Give your child these foods once in a while.

Meat and beans have the most iron!



Start with small servings. Give about 1 tablespoon (15 mL) of each food for each year of your child's age. For example, if your child is 2 years old, serve your child 2 tablespoons of vegetables and 2 tablespoons of rice. Let your child ask for more.



Dear Colleague,

The Washington State Department of Health (DOH) is pleased to provide cameraready art for printing this educational material. To ensure that the original quality of the piece is maintained, please read and follow the instructions below and the specifications included for professional printing.

- Use the latest version. DOH materials are developed using the most current information available, are checked for clinical accuracy, and are field tested with the intended audience to ensure they are clear and readable. DOH programs make periodic revisions to educational materials, so please check this web site to be sure you have the latest version. DOH assumes no responsibility for the use of this material or for any errors or omissions.
- **Do not alter**. We are providing this artwork with the understanding that it will be printed without alterations and copies will be free to the public. Do not edit the text or use illustrations or photographs for other purposes without first contacting us. Please do not alter or remove the DOH logo, publication number or revision date. If you want to use a part of this publication for other purposes, contact the Office of Health Promotion first.
- For quality reproduction: Low resolution PDF files are intended for black and white or color desktop printers. They work best if you are making only one or two copies. High resolution PDF files are intended for reproducing large quantities and are set up for use by professional offset print shops. The high resolution files also include detailed printing specifications. Please match them as closely as possible and insist on the best possible quality for all reproductions.

If you have questions, contact:
Office of Health Promotion
P.O. Box 47833 Olympia, WA 98504-7833
(360) 236-3736

Sincerely, Health Education Resource Exchange Web Team